

Blind rivet nut tool

NutBee® LS-Series



Premium Power Tools



MADE IN GERMANY



HS-Technik GmbH
High - System - Technik

NutBee® LS-Series

Stroke controlled battery blind rivet nut and blind rivet bolt tool

- Stroke-controlled setting process
- Controlling the setting speed based on the setting stroke
- Machine capability
+/- 10 % Cm \geq 2.00 / Cmk \geq 1.67
- Adjusting the stroke using buttons on the display
- Quick-change nose piece from M3 - M10*
- Evaluation of a stroke tolerance of +/- 10 % of the nominal value
- Display of the riveting results on OLED-Display (green/red smiley face)
- Handle vibration alarm
- Multi-color LED status indicator
- Intelligent battery management
- Brushless high-power motor
- LED to illuminate the setting area
- Recuperation extends the battery service time
- Updates can be installed via USB



* up to 25 kN

Technical data

Model	max. setting stroke	Dimensions L x W x H	Weight
NBLS-21	21 mm (0.83 in)	212 x 73 x 270 mm (8.35 x 2.87 x 10.63 in)	2.00 kg (4.41 lbs)

For more information about other NutBee models, tool structure and accessories click here!

Delivered without nose piece and threaded mandrel.
Dimensions and weight indications without battery.
At usage above 20 kN limited warranty.



HS-*T*echnik GmbH

High - System - Technik

Im Martelacker 12
D-79588 Efringen-Kirchen
Phone: +49 (0) 76 28 - 91 11-0
Fax: +49 (0) 76 28 - 91 11-90
E-mail: info@hs-technik.com
Internet: www.hs-technik.com

© Copyright June 2021

Subject to modifications and errors. All figures are non-binding.

We reserve the right to make technical changes to our products and the range of products as a result of further development.
Reproduction and the use of texts, even excerpts of our brochures is prohibited and will be prosecuted.